


15262 Capital Port San Antonio, TX 78249 1-800-611-6602 facadesxi.com

FacadesOne WaterShield Stucco Assembly Expansion Joint

Date, 11-24-2020 | Detail, F1WS, III, 1 v1



NOTES:

- 1. FXI WaterShield transition and accessory products and installation can be found in the project specifications, product datasheets and the WaterShield Details.
- 2. There must be continuous airtightness over the entire building enclosure, where required by code. The actual project detail must show this continuity.
- 3. Attach penetrations to structural member.
- 4. Responsibility of the flashing is not necessarily that of the plastering contractor and should be denoted in the contract documents.
- 5. Flashing must be installed with End Dams and be completely watertight

DISCLAIMER: FACADESXi details are recommendations that should be used for guidance only. There may be equivalent means of installation that are not shown in FACADESXi assembly details. All FACADESXi products shall be installed in accordance with FACADESXi product datasheets and all applicable building codes and industry standard practices. The design, engineering and final details incorporating any FACADESXi product are the sole responsibility of the project design professional. FACADESXi is not responsible for determining the acceptability and/or applicability of any FACADESXi disclaims all liability for improper installation, workmanship,or design by a third-party. EXCEPT FOR ANY EXPRESS REPRESENTATIONS AND WARRANTIES BY FACADESXi, ALL IMPLIED WARRANTIES OF ANY KIND, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COMPLIANCE WITH LAWS OR GOVERNMENT RULES OR REGULATIONS APPLICABLE TO THE PROJECT, ARE HEREBY DISCLAIMED. FACADESXi's website should always be consulted for the latest version of any details and/or product information. Contact FACADESXi for any technical assistance.